

# HOSPITAL TELEVISION TECHNOLOGY



# TB&A

w w w . h o s p i t a l t v . c o m



- Satellite Systems**
- Television Programming Systems**
- VCR & DVD Players**
- Healthcare & Commercial Televisions**
- Television Mounting Arms**
- Wall, Ceiling & Table Mounts**
- Pillow Speakers & Television Accessories**
- Direct Billing & Service Center**
- Group Purchasing Plans**

# TB&A Hospital Television, Inc.



## Television Technology Direct to Everyone at your Hospital

TB&A Hospital Television, Inc. specializes in bringing the latest technology in television equipment, systems and service to Hospitals and Healthcare facilities. TB&A is a National Distributor for Zenith, LG, PDI, Curbell, Peerless and other brand manufacturers. TB&A also has agreements with most Group Purchasing Organizations (GPO).

### TB&A can assist your hospital in every facet, including sales and service:

- ✓ **Television Programming** TB&A can help you receive television programming, customize it, and broadcast it on your hospital network.

**Page 3 - 4 Satellite Systems, Television Programming, & VCR/DVD Players**

- ✓ **Healthcare and Commercial Televisions** TB&A can provide a full line of name brand televisions with the latest technologies.

**Page 5 Zenith Healthcare Televisions**

**Page 6 - 7 PDI Healthcare Televisions**

**Page 8 - 9 LG Commercial Televisions**

- ✓ **Television Mounting Systems** From patient room applications, to lobby and waiting areas, to hospital and special applications, TB&A can provide the right mounting system.

**Page 10 PDI Mounting Arms & Wall, Ceiling and Table Mounts**

**Page 11 - 12 Lucasey Wall Mounts**

**Page 13 - 19 Peerless Flatscreen Wall, Ceiling, Floor, Desktop Mounts**

**Page 20 - 21 Peerless CRT Wall, Ceiling, Desktop Mounts**

- ✓ **Pillow Speakers & Television Accessories** TB&A provides a complete line and expert service on a full line of pillow speakers, power supplies, wall plates and other accessories.

**Page 22 Pillow Speakers and Television Accessories**

- ✓ **Direct Billing & Other Services** TB&A can provide a complete solution for your hospital including direct billing of telephone and television services directly to the patient's home phone bill.

**Page 23 Direct Billing, 24-Hour Call Center, Attendant Services**





## Digital Video Stations & Automation Systems

TB&A can design and install complete video automation systems suited for the special needs of Public, Educational and Medical facilities. TB&A's systems feature specially engineered hardware and software to provide complete programming management, including videotape automation and digital server technology, in one seamless analog to digital broadcast station. These "turnkey" solutions provide a complete path from a manual, analog system to a fully automated digital broadcasting operation which makes the most effective use of budget dollars and existing resources. Digital Automation Systems are designed to be expandable and can also be configured with a Web Server for Web Access and Web Casting services to extend community outreach.



### Systems can include:

- V-100 Tape Automation System for VHS, S-VHS, DVCPRO or Umatic tapes.
- MPEG2 Digital Server with 4 - 32 Streams
- MPEG2 Encoder(s)
- Master Control Automation Software
- Digital Archive Unit (DVD-RAM)
- Audio/Video Router (if needed)
- Monitoring
- Network

## SVI Healthcare Instant Scheduler Media Player

SVI Healthcare has developed an affordable digital media player solution for the healthcare market. The system allows hospitals, clinics and doctors' offices to broadcast information, education, relaxation, entertainment and much more using state-of-the-art, user-friendly technology. Best of all, the system uses existing televisions and cable wiring!



### Product Features:

- Scheduled or Manual On-Demand broadcasting on each channel
- On-Demand feature allows you to select a video(s) and play 24/7
- Create four separate schedules on each channel
- Easy "One Screen" management software for all activity
- System can also default to an alternative video source between schedules
- Configure the desired days of play on each channel
- Configure the desired time of day for each video to play
- Easy step-by-step video loading wizard to add new content to system
- Easy copy/paste button to move one schedule to another day
- Convert your video content into MPEG 1 or 2 file formats
- Over 200 hours of MPEG 1 or 150 hours of MPEG 2 video storage
- Create four "New" communication channels on your current television line-up
- User-friendly scheduling wizard with easy drop and drag feature
- "Conflict Resolution" feature to manage your daily schedule

### Includes:

- Self-contained computer case
- PC workstation with Pentium 4
- Four channel visual circuits card
- DVD-ROM drive
- 200GB SATA storage drive
- Ethernet port for network connection
- Four agile modulators with wiring
- Flat screen monitor



- Windows XP Operating System
- Instant Scheduler software application

## DIRECTV™ Satellite System

The DirecTV Satellite System is the original 18" mini-dish that has revolutionized the entertainment choices for hospitals and institutions everywhere. It's a great way to bring the power of digital quality picture and sound into your hospital today.



**DCD406R6** Digital Satellite Receiver



### Product Features:

- Accelerated 32-Bit Processor
- NEW 7-Line Program Guide
- Interactive Channel Banner
- One-Button Record
- Master Touch® Universal IR Remote™
- 18" Wide Satellite Dish Antenna
- Dual Output LNB for Connection of Multiple Receivers





## Firebird Multi-Format Digital Server with Informa Graphics Features by Synergy Broadcast Systems

The Synergy Broadcast FireBird Digital Server is a multi-format, single channel, digital playback device designed to provide a simple and easy-to-use playback operation with "on-board" graphics for cable channels, TV stations, information channels and in-house channels. FireBird is designed to manage the multiple formats your center handles everyday. MPEG2, DV and other formats playback seamlessly from FireBird's multi-format platform. MPEG2, DV, DVD and Windows Media files can be imported without encoding. In addition to playback, the FireBird Server also includes the Synergy Broadcast Informa™ graphics player so you can assemble and display eye-catching graphics, logos, crawls and scrolls to enhance the image of your channel. Create event and playback schedules for FireBird using Synergy Broadcast's feature-rich Automation Software which is included but must run on a separate computer. You can build schedules faster with our "drag-and-drop" scheduling interface and also create block schedules to "block" space for recurring programming.

### Specifications:

- Intel Based
- Up to 4, 500 Gig drives internally
- External expansion available
- Composite In/Out 3RU Rackmount case
- MPEG2, DV, DVD, Windows Media Playback



### Applications:

- Cable Channels
- PEG Channels
- Campus Channels
- Business Television
- Hospital Channels
- Information Channels
- Employee Channels
- K-12 District Wide Channels
- Corporate Communications



## Video On Demand Software by Synergy Broadcast Systems

Synergy Broadcast Systems provides digital, analog and hybrid VOD solutions for a variety of applications including education, training, and business communications. The On Demand application is easy-to-use, flexible and can be economically scaled to meet the needs of virtually any facility.

Descriptive information on each title is contained in the database so users can learn more about a program before watching. Certain versions of this software also provide the ability to schedule programming rather than view it on demand. A complete Reports Module is included to provide system usage statistics. The VOD systems can include full digital content, real-time streaming of analog programs, cable TV, live programs and satellite programs with delivery over virtually any network or delivery system. Programming can be delivered over Local or Wide Area networks, MATV closed circuit cable systems, broadband systems or ITFS delivery networks.


**The VOD interface is browser-based and provides the user with the ability to find and select programming based on:**

- Title Name
- Alphabetic Listing
- Numeric Title number
- Category or Subcategory Listing
- Source listing such as producer
- Key word or key phrase search



### ZDX-313 Progressive Scan DVD Player & VCR

- DVD-Video, DVD+RW/-RW/+R/-R, Audio CD, CD-R/-RW, MP3, WMA & JPEG Playback
- Crystal Clear Component & S-Video Output
- 4-Head Hi-Fi Stereo VHS VCR



### XBV713TBA Progressive Scan DVD Player & VCR with Hospital Grade Option

- XBV713 model with Fixed 3-Prong Hospital Grade AC power cord.



### ZRY-316 DVD/VCR Recorder

- Progressive Scan Technology
- 4 Head Hi-Fi Stereo VCR along with hi-fidelity stereo sound
- Super Slim Design - 3.3" high
- Versatile, High Quality DVD Recording
- Multi-Format Disc Playability Plays DVD-R/RW, DVD Audio/Video, CD & CD-R/RW
- MP3, WMA, JPEG Decoding



Televisions help our patients take their minds off their medical problems, and feel a little more comfortable while they're here.

TB&A is an authorized distributor of all Zenith healthcare, commercial & consumer televisions. Call TB&A for more information on other models.



**L26W58H**  
**26" Hospital Grade LCD Widescreen 16:9 HDTV**

The hospital-grade 26 inch widescreen HDTV monitor from Zenith is perfect for patient rooms, waiting rooms or anywhere in the hospital. The attractive thin design provides a high resolution image that produces extremely detailed imagery. Plus, the television has a pillow speaker port, and many other features hospitals require.

**Product Features:**

- Hospital Grade Approved
- 1366 x 768 Resolution
- 550:1 Contrast Ratio
- ATSC/NTSC/QAM Tuners
- 500 cd/m2 High Brightness
- 178° Viewing Angle
- Speaker Disable Switch
- MPI Interface
- Built-in Pillow Speaker Port and Card Slot
- RGB, HDMI, S-Video, and AV Inputs

<b>Model #</b>	L26W58H
<b>Screen Type</b>	LCD Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	Yes



**L20V54S**  
**20.1" Hospital Grade LCD EDTV Television/Monitor**

The 20" flatscreen television from Zenith is perfect for patient rooms, waiting rooms or anywhere in the hospital. The attractive design has an improved high-output screen with a wider viewing angle and is available with Pillow Speaker Interface and many other features and options. Mounts on wall using Zenith single or double monitor mounting arms.



<b>Model #</b>	L20V54S
<b>Screen Type</b>	LCD (4:3)
<b>Digital</b>	EDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	Yes

**Product Features:**

- Hospital Grade Approved
- Flat Panel Display
- Wide Viewing Angle
- ATSC/NTSC/QAM Tuners
- 640 x 480 Panel Resolution
- Built-in Zenith Card Slot (MPI)
- Built-in Pillow Speaker Port
- Direct AC Input
- Super IPS® Panel
- Sealed Front Panel Controls
- 100mm Standard VESA™ Mounting Interface



**H20J54DT**  
**20" Hospital Grade Truly Flat Color CRT Television**

20" Healthcare Series remote control TV. Features Digital ready ATSC/NTSC Tuners, Advanced SuperPort™, Energy Star™ and V-Chip Technologies and Multiple Protocol Interface for PPV/QuickSet™ Programming. Plus channel tiering, digital pillow speaker compatible, power management, and closed captioning for the hearing impaired.

**Product Features:**

- ATSC/NTSC Tuners
- Channel Tiering
- Pillow Speaker Compatible
- Composite Video/Audio In
- Module Level Repair
- Full XDS Decoding
- Advanced SuperPort™ Technology
- Multiple Protocol Interface (MPI™) for PPV/QuickSet Programming
- Closed Captioning

<b>Model #</b>	H20J54DT
<b>Screen Type</b>	CRT (4:3)
<b>Digital</b>	SDTV
<b>Tuner</b>	ATSC /NTSC
<b>Hospital Grade</b>	Yes



All Healthcare Series televisions are equipped with UL approved hospital grade 3-prong plugs.





TB&A is an authorized distributor of all PDI healthcare, commercial and consumer televisions. Call TB&A for more information on other models.

All TVs on this page are Healthcare Series

Healthcare Series

Healthcare / Commercial Televisions

**PDI-P32LCDC Innova<sup>32</sup>**  
**32" Hospital Grade LCD HDTV Television**

The PDI 32" Innova32 features a 32" HDTV LCD screen with 1366x768 resolution, a 1,200:1 contrast ratio and NTSC/ATCS/QAM Tuner. This Hospital Grade Television also has a universal pillow speaker control and multiple input connections including AV-IN, S-Video, S-Video Audio, Component, PC and other connections.



All Healthcare Series televisions are equipped with UL approved hospital grade 3-prong plugs.

**Product Features:**

- 32" Widescreen HDTV LCD
- 16:9 Screen Ratio
- 1366x768 Resolution
- NTSC/ATCS/QAM Tuner
- Hospital Grade Television (UL and CUL approved)
- Universal Pillow Speaker Control
- 178° 4-W Way Viewing Angles
- Multiple Interactive System Ready

<b>Model #</b>	PDI-P32LCDC
<b>Screen Type</b>	LCD Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	Yes



**P23LCD Innova<sup>23</sup>**  
**23" LCD Flatscreen Hospital Grade Television**

The PDI 23" Innova23 Hospital Grade HDTV Television has one of the widest LCD flat screens ever, with many features and accessories to accommodate in any hospital application.

**Product Features:**

- 1366 x 768 Resolution
- 16x9 Wide Screen Aspect Ratio
- Color Depth 16.7M True Color
- Total Weight (w/power supply)18lbs 10oz.
- 800:1 Contrast Ratio
- 500 CD/M2 Brightness
- Super-ISP panel with 170 degree horizontal and vertical viewing angles
- Pillow Speaker Interface
- Theft resistant wall mounting arm
- V-Chip (Parental Control)
- Programmable Start Channel
- Programmable Start Volume
- Programmable Min & Max Volume
- Bed A & Bed B IR Remote Settings
- CCI Interface Port

<b>Model #</b>	PDI-P23LCD
<b>Screen Type</b>	LCD Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	Yes



**P15LCD Innova<sup>15</sup>**  
**15.1" LCD Flat Screen High Definition Monitor**

A complete solution for patients who want television, the Internet, e-learning and access to a computer during their medical visit. Use with PDI Support Arm for flexible positioning, or mount on wall or flat surface using PDI Wall Bracket



Shown with PDI Support Arm

**Product Features:**

- Dual Function - Offers both HD-capable TV and computer monitor capability
- 2 Year Factory Warranty on Parts & Labor
- Closed Captioning - Built in
- Liquid Crystal Display
- MTS Stereo
- UL & CUL Approved
- Built-in Pillow Speaker Interface
- Menu Lockout Control
- 120° horizontal and 90° vertical viewing angles

<b>Model #</b>	PDI-P15LCD-W
<b>Screen Type</b>	LCD (4:3)
<b>Digital</b>	SDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	Yes




## PDI™ P20LCD-A 20" Digital Flat Screen LCD Television

PDI-P20LCD, is a state-of-the-art digital LCD Television expressly designed for the Healthcare Market. The PDI-P20LCD flat screen offers numerous advantages, especially in shared environments.

### Product Features:

- Component Video, S-Video, A/V In & Out
- PSM (Picture Status Memory) / SSM (Sound Status Memory)
- Integrated Pillow Speaker Control
- 4H Digital Comb Filter for Color Fidelity
- Teletext, Closed Caption, V-Chip
- Menu button can be disabled to prevent patient tampering
- Energy Star Qualified
- 2 Year Factory Warranty on Parts & Labor
- Viewing angle: Horiz=176°, Vert =176°
- 16ms response time
- Crisp, bright picture 450 cd/m<sup>2</sup>
- 400:1 Contrast Ratio
- VGA (640 x 480) Resolution
- 16.7 Million Colors
- UL listed for Hospital use (UL6500)
- Stylish design with easy to see and use front mounted controls



*Slim, Wall Hugging Profile  
Only 3 - 3/4" Thick*



<b>Model #</b>	PDI-P20LCD-A
<b>Screen Type</b>	LCD Widescreen (4:3)
<b>Digital</b>	SDTV
<b>Tuner</b>	ATSC / NTSC / QAM
<b>Hospital Grade</b>	Yes

## PDI™ PDI-P10LCD 10.4" Persona Flat Screen TV with Adjustable Mounting Arm

The healthcare market demands excellence at every turn. The PDI Persona personal color TV is designed expressly for hospitals, dialysis clinics and nursing homes. The approachable design and ergonomic controls result in a more pleasant user experience. And while users will be undoubtedly pleased with the exterior of the Persona, the interior components, construction and features are sure to impress those having day-to-day contact with the device across weeks, months, and years. It's "a better solution within reach®."

### Product Features:

- State-of-the-art LCD panel provides high resolution across a wide viewing angle.
- Superior built-in sound, forward facing speakers and easy to use earphone jack.
- Easy installation and maintenance, integrates easily with existing PDI 500 series arms, internal power supply works with all existing PDI central or individual power supplies.
- Long lasting, LCD rated for over 50,000 hours - over 11 years of typical use.
- Multi lingual menu and on-screen display (English, Spanish or French).
- Individual programming tiers, each can be programmed individually making basic and premium rental options very accessible.
- Patient activated rental front mounted button allows patients to quickly access premium rental channels.
- Thin, sleek design offers modern aesthetic look and is easier for patient to position comfortably.
- Economic operation, ENERGY STAR qualified, also will automatically shut down if picture signal is lost.



*The Persona Flat Screen is only 3" thick, making it easier to position comfortably next to patients.*

<b>Model #</b>	PDI-P10LCD
<b>Screen Type</b>	LCD (4:3)
<b>Digital</b>	No
<b>Tuner</b>	NTSC
<b>Hospital Grade</b>	Yes



*All Healthcare Series televisions are equipped with UL approved hospital grade 3-prong plugs.*



See The TB&A  
DTV Q&A at  
[www.hospitaltv.com](http://www.hospitaltv.com)





**LG 42PC5DC**  
**42" HDTV Integrated Plasma Monitor/Television**

The LG 42PC3D 42" Plasma Display is made for state-of-the-art entertainment. The 16:9 widescreen Plasma television has 1024 x 768p resolution with a 10,000:1 contrast ratio producing extremely detailed imagery with sharp contrast between light and dark images. The display also features 1500 cd/m2 high brightness that renders an incredibly bright picture, even in well-lit areas. LG plasma TVs are also equipped with Image Sticking Minimization, Pixel Orbiter, and White Wash features which reduce phosphor burn and prolong the life of the plasma.

<b>Model #</b>	LG 42PC5DC
<b>Screen Type</b>	Plasma Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	No

**Product Features:**

- 1024 x 768p Resolution
- 10,000:1 Contrast Ratio
- Aspect Ratio Correction
- Fan-free Operation
- Removable Stand
- Side Video/Audio Inputs
- XD Engine®
- Integrated Speakers
- 1500 cd/m2 High Brightness
- HDMI™ with HDCP
- Front Panel Control
- 2 Year Warranty



**LG 32LX4DCS**  
**32" LCD Widescreen 16:9 HDTV**

The LG 32LX4DCS 32" Commercial Wide Screen LCD is equipped with features such as a contrast ratio of 500:1 and increased brightness images will appear crisp while maintaining high levels of color accuracy. The LCD comes with multiple input connections including DVI-D with HDCP for high-end digital connectivity. These enhancements plus professional features such as remote control access through RS-232C serial interface and picture-in-picture mode make this display the ultimate in LCD monitoring. This model is also designed with an integrated rear interface box that cannot be removed.



**Product Features:**

- 176° Viewing Angle
- 32" HDTV
- 1366 x 768p Resolution
- 500:1 High Contrast Ratio
- 500 cd/m2 High Brightness
- ATSC/NTSC/QAM Tuners
- XD Engine®
- Discrete IR Codes
- RS-232C Controllable
- 2 year warranty
- Integrated rear interface box
- Auto-Sensing Remote Jack Pack (RJP) Compatible
- Hi-Res Component, DVI with HDCP, S-Video, and AV

<b>Model #</b>	LG 32LC7DC
<b>Screen Type</b>	LCD Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	No



**LG M3201C-BA**  
**32" LCD Widescreen HD Capable Monitor**

LG's Exclusive XD Engine takes the low resolution of analog signals to near HD levels by improving brightness, contrast, detail and enhancing color as well as reducing signal noise. This total solution results in cinema like high resolution images. Advanced Connectivity Includes inputs for the most advanced components which allows simultaneous PC interactivity while watching your favorite TV programming. Image Sticking Prevention Provides protective measures to minimize damage as a result of stationary images.

<b>Model #</b>	LG M3201C-BA
<b>Screen Type</b>	LCD Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	No
<b>Hospital Grade</b>	No

**Product Features:**

- 32" Widescreen LCD
- 1366 x 768 Resolution
- 16:9 Aspect Ratio
- 178 degree viewing angle
- 500 cd/m2 Brightness
- 1600:1 Contrast Ratio
- 8ms Response Time
- (BNC) & S-Video Inputs
- Temp & Lamp Fault Sensor
- HDMI Composite
- Tile Mode : 4x4 available multiplying the size of display



## **LG 32LC7DC** 32" LCD Widescreen 16:9 HDTV Integrated TV

The LG 32LC7DC 32" Commercial Wide Screen LCD is equipped with features such as a 6000:1 Dynamic Contrast Ratio and a 178° True Wide Viewing Angle. These enhancements plus professional features such as LG Simplink™ and XD Engine® make this display the ultimate in LCD monitoring.

### Product Features:

- 32" HDTV Integrated TV
- ATSC/NTSC/QAM
- 16:9 Aspect Ratio
- 1366 x 768 Resolution
- 6000:1 Contrast Ratio
- Public Display Settings
- LG Simplink™
- XD Engine®
- HCS5610 Compatible
- 2 HDMI™ with HDCP
- SRS® TruSurround XT™
- TV-Link Loader Compatible
- High Gloss Black Finish
- Super IPSTM with 178° True Wide Viewing Angle



<b>Model #</b>	LG 32LX4DCS
<b>Screen Type</b>	LCD Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	No



## **LG 26LC7DC** 26" LCD Widescreen 16:9 HDTV Integrated TV

The LG 26LC7DC 26" Commercial Wide Screen LCD is equipped with features such as a 1200:1 Dynamic Contrast Ratio and a 1366 x 768 Resolution. The LG 26LC7DC also includes professional features such as LG Simplink™, XD Engine®, and is TV-Link Loader Compatible.

<b>Model #</b>	LG 26LC7DC
<b>Screen Type</b>	LCD Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	No

### Product Features:

- 26" HDTV Integrated TV
- ATSC/NTSC/QAM
- 16:9 Aspect Ratio
- 1366 x 768 Resolution
- 1200:1 Contrast Ratio
- Public Display Settings
- LG Simplink™
- XD Engine®
- HCS5610 Compatible
- 2 HDMI™ with HDCP
- SRS® TruSurround XT™
- TV-Link Loader Compatible

## **LG 23LS7DC & LG 20LS7DC** 20" & 23" LCD Widescreen 16:9 HDTV Integrated TV

The LG 23LS7DC and LG 20LS7DC come equipped with the latest in interface technology so you can be prepared for the newest connectivity in the industry. This monitor features a crisp 1366 x 768 resolution and a ultra fast response time of 8ms. There is a wide 178 / 178 viewing angle and a high contrast level of 700:1 with a tilt adjustable stand. Also comes with a small footprint to give you more options in where to display your monitor.

### Product Features:

- 20" & 23" HDTV Integrated TV
- 16:9 Aspect Ratio
- 1366 x 768 Resolution
- 700:1 Contrast Ratio
- TV-Link Loader Compatible
- Public Display Settings
- PC Input
- XD Engine®
- High Gloss Black Finish
- ATSC/NTSC/QAM

<b>Model #</b>	LG 23LS7DC & LG 20LS7DC
<b>Screen Type</b>	LCD Widescreen (16:9)
<b>Digital</b>	HDTV
<b>Tuner</b>	ATSC /NTSC /QAM
<b>Hospital Grade</b>	No



**LG 23LS7DC 23" LCD HDTV**



**LG 20LS7DC 20" LCD HDTV**



See The TB&A  
DTV Q&A at  
[www.hospitaltv.com](http://www.hospitaltv.com)





PDI-500

PDI-400

**PDI-500 Series**  
**Suspension Arm for 9" & 13" TV up to 22.5 lbs.**


- Hospital UL Approved
- Supports up to 19 lbs
- Reaches up to 58"
- "No Drift" Brakes for Stability
- Powder Coated Finish for Long Life
- Two Year Guarantee
- Easily Positioned for Comfortable Viewing

**PDI-400 Series**  
**Suspension Arm for 9" TV up to 19 lbs.**

- Hospital UL Approved
- Supports up to 225 lbs
- Reaches up to 62"
- Easily Positioned for Comfortable Viewing
- Powder Coated Finish for Long Life
- "No Drift" Brakes for Stability
- OSHPD Approved
- 2 Year Guarantee

**PDI-CMT**  
**Ceiling Mount**

- Supports up to 19 lbs
- 28" Vertical Travel
- 300+ Degrees of Motion
- Two Year Guarantee



PDI-CMT

**PDI**  
**Wall Brackets**



Available with rotational stop

A large variety of wall brackets are available in standard or custom hole patterns. Built-in theft models also available.



A



B



C



D



E



F

**Models Shown:**

- A. PDI-179CP** - Standard wall bracket with pilfer proof locking feature 5/8" base pin bushing standard, 1/2" available on request
- B. PDI-172C** - Attaches to existing Hill Rom® vertical head wall columns
- C. PDI-1370C** - Narrow Bunting style wall bracket
- D. PDI-178GR** - Wall bracket with Granada hole pattern
- E. PDI-119C** - Slim line style wall bracket
- F. PDI1346** - Adjustable trackmount allows attachment to horizontal channels (Hill Rom® style headwalls)



**Table, Counter & Floor Mounts**

Most mounting configurations can be customized to meet the end users needs.

**Models Shown:**

- A. PDI-886C** - Standard floor mount
  - Stands 46" tall
  - Weighs 38 lbs
  - OSHPD approved
  - Supports 400 / 500 series arms
- B. PDI-STM-A-14** - Single table mount
  - 14" in height
  - Supports 400 / 500 series arms
- C. PDI-LTM** - Low table mount
  - 3" in height
  - Supports 400 / 500 series arms
- D. PDI-DBL Table Mount** - Double table mount
  - 12" in height
  - Two rotational stops
  - Supports 400 / 500 series arms



A



B




C



D





**FSWADS2**  
**Articulating Wall Mount**  
*For 32" to 50" Flat Screens*

Wall mount for up to 50" Monitors using an FSUL Adapter Plate. Dual articulating arms allow monitor to be articulated out from the wall up to 15" and the monitor pivoted from left to right. Can be used for flush mounting monitor into a recessed alcove.



**LC200WA2**  
**Articulating Wall Mount**  
*For screens up to 32" using up to 200mm VESA® Mounting Patterns*

Articulating wall mount for 20" - 32" monitors with up to 200mm x 200mm VESA® mounting patterns. Features dual articulating pivot points, 180° swivel from wall arm and ±45° tilt (may be limited by size of monitor). Cosmetic covers provide a clean look over the strongest single stud wall plate design we've tested. For wood, metal or concrete wall mounting applications.



**LC200DS1**  
**OSHPD Pre-Approved Wall Mount**

Double Stud Articulating Wall Mount (OSHPD Approved) for Flat Panel Screens up to 32" (60Lbs.) with up to 200mm x 200mm VESA® Mounting Patterns.

The conversion of Hospital TVs from CRT tube type TVs to Flat Screen TVs has created a large demand for a secure commercial grade mount for flat panel monitors up to 32". Lucasey Manufacturing has developed the LC200DS1 to meet the demand for an OSHPD (Office of Statewide Health Planning Department) approved articulating wall mount.

The LC200DS1 is designed with an external steel framework to mount between two metal or wood studs in typical hospital wall construction. The dual pivot points and 45° tilt allows the flat panel screen to be positioned with the ideal viewing angle from anywhere in the room.




**LC200DS2**  
**Wall Mount**

Double Stud Articulating Wall Mount with Triple Pivot Points for Flat Panel Screens up to 32" (75Lbs.) with up to 200mm x 200mm VESA® Mounting Patterns.

Wall mount for up to 32" Monitors with up to 200mm x 200mm VESA® mounting patterns. Features triple articulating points with a 180° swivel from wall, a second articulating arm that folds inside the first articulating arm and a 180° pivot point behind the monitor. Also, the monitor can be tilted ±45°.

Can be installed in 16" metal stud, 16" wood stud or concrete wall mounting applications.



**LCDUWS**  
**Low Profile Wall Mount**  
*For screens up to 32" with 75mm x 75mm, 100mm x 100mm or 200mm x 100mm VESA® Mounting Patterns*

Attaches your monitor to the wall with only 5/8" clearance. With the monitor this close to the wall, you have the illusion of no mount at all. Also, this mount works well for recessed applications where the monitor needs to be flush with the wall surface. The LCDUWS allows the monitor to be attached to one plate then dropped into a separate plate attached to the wall. Cords can be run between the two plates or into the wall as needed for the installation. This mount now fits 200mm x 100mm, 100mm x 100mm or 75mm x 75mm VESA® mounting patterns.

(Can be ordered with an optional security screw and security screw removal tool, order sh10askt, to secure the monitor to the wall.)



**LC200WP**  
**Tilting & Swivelling Wall Mount**

*For screens up to 32" using up to 200mm VESA® Mounting Patterns*

Wall mount for 20" - 32" Monitors with up to 200mm x 200mm VESA® mounting patterns. Features 180° swivel from wall arm and ±45° tilt (may be limited by size of monitor). For wood, metal or concrete wall mounting applications.





**LCDUWDA2  
Non-Tilting  
Articulating  
Wall Mount**

*For Screens up to 19" with  
75/100mm VESA® Mounting  
Patterns*



Articulating wall mount for 9" - 19" Monitors with 75mm x 75mm or 100mm x 100mm VESA® mounting patterns. Features dual arm articulation with no tilt (swivel may be limited by size of monitor).



**LCDUWDA1  
Articulating Wall  
Mount with Tilt**

*For Screens up to 19" with  
75/100mm VESA® Mounting  
Patterns*



Articulating wall mount for 9" - 19" Monitors with 75mm x 75mm or 100mm x 100mm VESA® mounting patterns. Features dual arm articulation and ±45° tilt (swivel and tilt may be limited by size of monitor).



**LCDU375W &  
LCDU550W  
Wall Mount**

*For Screens up to  
19" with 75/100mm  
VESA® Mounting  
Patterns*



Compact dual pivoting action wall mount for 9" to 19" LCD monitors. Two models available for your desired mounting application.

Features 180° swivel from wall arm and ±45° tilt (may be limited by size of monitor). Universal 75mm (2.95") and 100mm (3.94") square VESA® pattern compatible. For wood, metal, or concrete wall mounting application. Two arm lengths available for your convenience.



**FSUL Universal  
Landscape Adapter  
& Wall Mount**

The Universal Landscape adapter can be mounted directly to the wall or can be used in conjunction with any FS Series mount.

This wall mount is suitable for wood, concrete or metal stud installations.



The adapters mount to most flat screens with threaded inserts that are spaced within the ranges shown in the table below. (The threaded inserts need to be flat along the back of the monitor) Standard monitor attaching hardware is included.

If you require security hardware to prevent easy removal of the monitor, ask TB&A about the **FSUSK**.

If you need to mount you monitor in portrait not landscape configuration , ask TB&A about the **FSUP**.



**LCD100WP  
Wall Mount**

*For Screens up to 26" with  
100mm VESA® Mounting  
Patterns*



Wall mount for 20" - 26" Monitors with 100mm x 100mm VESA® mounting patterns. Features 180° swivel from wall arm and ±45° tilt (may be limited by size of monitor). For wood, metal or concrete wall mounting applications.

Model	Mounts to Boss Patterns	Monitor Width
<b>FSUL2014</b>	20"W x 14"H (508mm x 356mm)	24"W-32"W
<b>FSUL2720</b>	27"W x 20"H (686mm x 508mm)	32"W-40"W
<b>FSUL3520</b>	35"W x 20"H (889mm x 508mm)	40"W+



peerless

**Universal Flat Wall Mount**  
For 10" - 24" Flat Panel Screens



**SECURITY MODELS:**  
**SF630** (black), **SF630-S** (silver)  
**STANDARD MODELS:**  
**SF630P** (black), **SF630P-S** (silver)  
**MAX LOAD: 80 lbs** (36.28 kg)



**Product Features:**

- VESA® 75 and 100 compatible
- Additional non-VESA screen adapter plates also available
- Ultra-slim design holds screen less than an inch way from the wall
- Screen adapter plate simply hooks onto the wall plate or quick and easy installation
- Mounts to wood stud, concrete, cinder block and metal stud (accessory required)

peerless

**Universal Flat Wall Mount**  
For 10" - 37" Flat Panel Screens



**SECURITY MODELS:**  
**SF635** (black), **SF635-S** (silver)  
**STANDARD MODELS:**  
**SF635P** (black), **SF635P-S** (silver)  
**MAX LOAD: 115 lbs** (52.16 kg)



**Product Features:**

- VESA® 75, 100, 200 x 100, 200 x 200 compatible
- Additional non-VESA screen adapter plates also available
- Ultra-slim design holds screen an inch way from the wall
- Screen adapter plate simply hooks onto the wall plate for quick and easy installation
- Mounts to wood stud, concrete, cinder block and metal stud (accessory required)

peerless

**Universal Flat Wall Mount**  
For 23" - 46" Flat Panel Screens



**SECURITY MODELS:**  
**SF640** (black), **SF640-S** (silver)  
**STANDARD MODELS:**  
**SF640P** (black), **SF640P-S** (silver)  
**MAX LOAD: 150 lbs** (68.03 kg)



**Product Features:**

- Fits screens with mounting hole patterns up to 17.25" W & 12.94"H
- Ultra-slim design holds screen only 1.18" from the wall
- Easy-glide bracket design ensures screen is securely attached to wall plate
- Mounts to one or two wood studs, concrete, cinder block or two metal studs (accessory required)
- Horizontal screen adjustment up to 6"
- Comes with Peerless' *Sorted-For-You*™ fastener pack with all necessary screen attachment hardware

peerless

**Universal Flat Wall Mount**  
For 32" - 60" Plasma and LCD Flat Panel Screens



**SECURITY MODELS:**  
**SF660** (black), **SF660-S** (silver)  
**STANDARD MODELS:**  
**SF660P** (black), **SF660P-S** (silver)  
**MAX LOAD: 200 lbs** (90.71 kg)



**Product Features:**

- Fits screens with mounting hole patterns up to 28.75" W & 17.04" H
- Ultra-slim design holds screen only 1.18" from the wall
- Easy-glide bracket design ensures screen is securely attached to wall plate
- Mounts to two wood studs, concrete, cinder block or metal studs (accessory required)
- Horizontal screen adjustment up to 12"
- Comes with Peerless' *Sorted-For-You*™ fastener pack with all necessary screen attachment hardware

SmartMount™

At Peerless, we constantly focus on and recognize the needs of the professional installation community. The SmartMount™ line of Universal Flat Wall Mounts is exclusively designed and engineered for the professional market. Four models cover a comprehensive range of flat panel screen sizes from 10" up to 63".



Throughout the flat panel section of the catalog, reference is made to the VESA mounting hole patterns. The Video Electronics Standards Association (VESA) has created standard hole patterns for flat panel mounting. In the industry today, many small to medium LCD screens use either a VESA 75 (775mm square) or VESA 100 (1100mm square) pattern. Other standard hole patterns were developed for larger LCD flat panels and plasma TVs ranging from the 30" - 90" range. We design our flat panel mounts to accommodate VESA standard patterns. In 2004, we were awarded the VESA Mounting Compliance logo which certifies that our flat panel mounts meet the strictest requirements as specified by VESA. For non-VESA compliant screens Peerless offers a comprehensive inventory of screen-specific PLP and LC adapter plates, ensuring a precise fit for almost any plasma or LCD screen.



## peerless Universal Tilt Wall Mount For 10" - 24" Flat Panel Screens



**SECURITY MODELS:**  
**ST630** (black), **ST630-S** (silver)  
**STANDARD MODELS:**  
**ST630P** (black), **ST630P-S** (silver)  
**MAX LOAD: 80 lbs** (36.28 kg)



### Product Features:

- VESA® 75 and 100 compatible
- Additional non-VESA screen adapter plates also available
- One-touch tilt allows +15/-5° of adjustment
- Screen adapter plate simply hooks onto the wall plate or quick and easy installation
- Mounts to single wood stud, concrete, cinder block and metal stud (accessory required)

## peerless Universal Tilt Wall Mount For 13" - 37" Flat Panel Screens



**SECURITY MODELS:**  
**ST635** (black), **ST635-S** (silver)  
**STANDARD MODELS:**  
**ST635P** (black), **ST635P-S** (silver)  
**MAX LOAD: 115 lbs** (52.16 kg)



### Product Features:

- VESA® 75, 100, 200 x 100, 200 x 200 compatible
- Fits screens with mounting hole patterns up to 9.17" W & 9.48" H
- One-touch tilt allows +15/-5° of tilt adjustment
- Screen adapter rackets simply hook onto the all plate for quick and easy installation
- Mounts to single wood stud, concrete, cinder block or metal stud (accessory required)

## peerless Tilt Wall Mount For 10" - 22" LCD Screens

The LCW Tilt Wall Mount is perfect for information displays, conference rooms, home use, or anywhere a small to medium size LCD screen needs to be higher than eye level. On a wall and/or forward tilt is a must. Its low profile makes it a very discreet mounting solution that virtually disappears behind the display. It comes fully kitted for ordering convenience.



**MODELS:**  
**LCW Models**  
**MAX LOAD:**  
**25 lbs** (11.3 kg)



### Product Features:

- Adjustable tilt +15/-5° degree without the use of tools
- Comes with standard and theft-resistant security fasteners
- Holds the screen approximately 2" from wall
- Supports screens with VESA® 75 or 100 hole mounting patterns
- Several kitted models are also available or screens with non-VESA hole mounting patterns
- Includes hardware for installation to wood stud, concrete and metal studs

## peerless Tilt Wall Mount For 21" - 39" LCD Screens

Perfect for public displays, financial settings, boardrooms or for home use. The LCWL Wall Mount is ideal when a larger LCD screen is installed higher than eye level and forward tilt is a must. The LCWL tilt wall mount is specially designed to support LCD screens in the 21" to 39" size range and comes in silver. It comes fully kitted or ordering convenience.



**MODELS:**  
**LCWL Models**  
**MAX LOAD:**  
**50 lbs** (22.7 kg)



### Product Features:

- 15° of adjustable forward tilt and 5° of backward tilt for the best viewing angle
- Mounts the screen horizontally
- Comes with standard and theft-resistant security fasteners
- Holds the screen only 2.75" (approx.) from the wall
- Models available supporting screens w/ ESA mounting patterns
- Several kitted models are also available or screens with non-VESA hole mounting patterns
- Includes hardware for installation o a single wood stud, concrete and metal stud

## peerless Universal Tilt Wall Mount For 23" - 46" Flat Panel Screens



**SECURITY MODELS:**  
**ST640** (black), **ST640-S** (silver)  
**STANDARD MODELS:**  
**ST640P** (black), **ST640P-S** (silver)  
**MAX LOAD: 150 lbs** (68.03 kg)



### Product Features:

- Fits screens with mounting hole patterns up o 17.5" W & 12.94" H
- One-touch tilt allows +15° of adjustment
- Optional tilt lock in 5° increments
- Horizontal screen adjustment up to 6"
- Universal brackets easily hook onto wall plate for fast installation
- Easy-glide bracket design ensures screen is securely attached
- Mounts to one or two wood studs, concrete, cinder block or two metal studs (accessory required)
- Comes with peerless' complete *Sorted-For-You™* fastener pack with all necessary screen attachment hardware



peerless

**Universal Tilt Wall Mount**  
For 32" - 50" Plasma & LCD  
Flat Panel Screens



**SECURITY MODELS:**  
**ST660** (black), **ST660-S** (silver)  
**STANDARD MODELS:**  
**ST660P** (black), **ST660P-S** (silver)  
**MAX LOAD: 200 lbs** (90.71 kg)



**Product Features:**

- Fits screens with mounting hole patterns up to 29" W & 17.67" H
- One-touch tilt allows +15° of adjustment
- Optional tilt lock in 5° increments
- Horizontal screen adjustment up to 12"
- Universal brackets easily hook onto wall plate for fast installation
- Easy-glide bracket design ensures screen is securely attached to wall plate
- Mounts to two wood studs, concrete, cinder block or metal studs (accessory required)
- Comes with Peerless' complete *Sorted-For-You™* fastener pack with all necessary screen attachment hardware

peerless

**Universal Tilt Wall Mount**  
For 32" - 50" Plasma & LCD  
Flat Panel Screens



**SECURITY MODELS:**  
**ST650** (black), **ST650-S** (silver)  
**STANDARD MODELS:**  
**ST650P** (black), **ST650P-S** (silver)  
**MAX LOAD: 175 lbs** (79.5 kg)



**Product Features:**

- Optional tilt lock in 5° increments
- Fits screens with mounting hole patterns up to 29" W & 17.67" H
- One-touch tilt allows +15° of adjustment
- Horizontal screen adjustment up to 12"
- Universal brackets easily hook onto wall plate for fast installation
- Easy-glide bracket design ensures screen is securely attached to wall plate
- Mounts to two wood studs, concrete, cinder block or two metal studs (accessory required)
- Comes with peerless' complete *Sorted-For-You™* fastener pack with all necessary screen attachment hardware

peerless

**Pivot Wall Mount**  
For 10" to 22" LCD Screens



**MODELS:**  
**SP730P** (black)  
**SP730P-S** (silver)  
**MAX LOAD:**  
**25 lbs** (11.34 kg)



**Product Features:**

- Arm extends up to 6.9" from wall or folds flat to 1.9" to save space
- Offers 35° of upward and downward tilt
- ±5° of roll to level screen horizontally
- Two tensionable pivot points
- Supports screens with VESA 75 or 100 mounting holes
- Mounts to single wood stud, concrete, cinder block or metal stud (with metal stud accessory)

peerless

**Articulating LCD Wall Arm**  
For 10" to 22" LCD Screens



**MODELS:**  
**SA730P** (black)  
**SA730P-S** (silver)  
**MAX LOAD:**  
**25 lbs** (11.34 kg)



**Product Features:**

- Supports screens with VESA 75 or 100 mounting holes
- Articulating arm extends up to 15.9" from the wall or folds flat to 1.9" to save space
- Offers 35° of upward and downward tilt ±5° roll to level screen horizontally
- Three tensionable pivot points
- Mounts to wood stud, concrete, cinder block or metal stud (with metal stud accessory)



Built-in internal cord management channels

peerless

**Extended Reach Articulating LCD Wall Arm**  
For 10" to 22" LCD Screens



**MODELS:**  
**SAL730P** (black)  
**SAL730P-S** (silver)  
**MAX LOAD:**  
**25 lbs** (11.34 kg)



**Product Features:**

- Arm extends up to 19.1" from wall or folds flat to 1.9" save space
- Built-in internal cord management channels keep wires out of way
- Supports screens with VESA 75 or 100 mounting holes
- Four tensionable pivot points
- Offers 35° of upward and downward tilt ±5° roll to level screen horizontally
- Mounts to wood stud, concrete, cinder block or metal stud (with metal stud accessory)



Built-in internal cord management channels

peerless

**Articulating Wall Arm**  
For 22" to 37" LCD Screens



**MODELS:**  
**SP740P** (black)  
**SP740P-S** (silver)  
**MAX LOAD:**  
**80 lbs** (36.29 kg)



**Product Features:**

- Arm extends up to 20" from wall or folds flat to 2.8" to save space
- Compatible with VESA 75/100 and 200x100/200x200 screens
- Three tensionable pivot points
- Offers 35° of upward and downward tilt ±5° roll to level screen horizontally
- Mounts to wood stud, concrete, cinder block or metal stud (with metal stud accessory)



Built-in internal cord management channels



## peerless Pivot Wall Arm for Screens

For 22" to 37" LCD Screens



**MODELS:**

- SA740P** (black)
- SA740P-S** (silver)

**MAX LOAD:**  
**80 lbs** (36.29 kg)



**Product Features:**

- Arm extends up to 10" from the wall or folds flat to 2.8"
- Offers 35° of upward and downward tilt
- ±5° of roll to level screen horizontally
- Two tensionable pivot points
- Compatible with VESA 75/100 and 200x100/200x200 screens
- Mounts to single wood stud, concrete, cinder block or metal stud (with metal stud accessory)

## peerless Pivot Wall Mount

For 32" to 61" Flat Panel Screens

The PS-1 accommodates 32" to 50" screens, while the PS-2 is designed to support the weight of larger plasma screens in the 60"+ size range. Designed specifically for use with hotel guest room furniture, these mounts deliver exceptional screen adjustment with a maximum 10° forward, 5° backward and 15° swivel from left to right—all without the use of tools. A manual roll feature enables horizontal screen leveling. Theft-resistant security fasteners secure the screen to the mount to keep the equipment safe.




**MODELS:**

**PS-1**  
 (32"–50" Plasma Screens & 30"+LCD Screens)

**PS-2**  
 (60"+Plasma Screens)

**MAX LOAD:**

PS-1: **150 lbs** (68 kg)  
 PS-2: **225 lbs** (102.1 kg)



**Product Features:**

- Adjustable screen tilt with a maximum 10° forward & 5° backward
- 15° swivel from left to right
- Mount allows or leveling adjustment of plasma to sit level at any angle; no tools required
- PS-1 arm extension: 8.75", PS-2 arm extension: 10.125"
- Theft-resistant security fasteners secure the screen to the mount
- The 22" wall plate mounts to two studs on 16" centers
- Screen mounts in landscape or portrait orientation
- Includes hardware for installation to wood stud or concrete
- Available in black

## peerless Straight Column Ceiling Mount

For 32" to 60" Flat Panel Screens

Designed for versatility, the PLCM can be configured for virtually any flat panel ceiling application. The base unit includes 20° of tilt and 360° of swivel to position the screen to the desired viewing angle. This base unit can be kitted with a standard 30" column that accommodates the height of most flat panel screens, or adapted to any fixed-length or adjustable extension column up to 10 feet. A structural ceiling plate can be kitted for wood joist or concrete ceilings, while other ceiling accessories can be ordered separately to allow mounting to I-beams, cathedral ceilings, trusses, etc. Universal or model-specific PLP screen adapter plates are available to complete the PLCM solution.



**MODEL:**

- PLCM-1** (includes 30" column)
- PLCM-2** (base unit)
- PLCM-1CP** (includes ceiling plate)
- MAX LOAD PLCM-1CP:**  
**225 lbs** (102.1 kg)

**MAX LOAD PLCM-1 & 2:**  
 (refer to max load of the ceiling attachment used)

**PLCM-2**  
 (Base unit)



**PLCM-1**  
 (Includes standard 30" column)



**PLCM-1CP**  
 (Includes ceiling plate)



SmartMount™

**Product Features:**

- 20° tilt
- 360° swivel
- Simple hook-on screen installation
- Portrait or landscape orientation
- Theft-deterrent security fasteners included
- Kitted models configured for ease of ordering
- Available in black

## peerless LCD Ceiling Mount

For 13" to 29" LCD Screens

The LCC ceiling mount's adjustable column accommodates various ceiling heights. Its wide tilt range and 360° of swivel adjustment position the LCD screen to the desired viewing angle. A unique horizontal attachment option allows the screen to be pointed face-down. Optional dual-purpose covers provide a contemporary look, while also featuring two cord-management chambers inside to route separate power cords and data cables. The LCC comes with everything required for a complete solution, but can also be combined with other ceiling accessories, extension columns or adapter plates for added functionality.



**MODEL:**

- LCC-18(S)** (18-30" extension)
- LCC-36(S)** (36-48" extension)

- LCC-18C(S)** (18-30" extension with optional cord management covers)
- LCC-36C(S)** (36-48" extension with optional cord management covers)

**MAX LOAD:**  
**80 lbs** (36.28 kg)



**peerless** Desktop Articulating Arm  
For 10" to 22" LCD Screens

The Desktop Articulating Mount optimizes LCD monitor viewing angle or position by providing full 3D ergonomic panel positioning. The advanced gas-strut and ball-joint mechanism allow effortless adjustments to be made to raise tilt, swivel, swing and extend the LCD. Achieve almost any viewing angle / position with a quick adjustment or retract the arm to a compact size to increase work surface area. Perfect for office applications, it mounts easily to LCD panels and incorporates cable management. Designed to offer superior strength and ergonomics, the die-cast aluminum body is an attractive addition to any workspace backed by the Peerless 5 year guarantee.



**MODEL:**  
**LCT-101**

**MAX LOAD:**  
**25 lbs** (11.3 kg)



**Product Features:**

- Includes desk lamp and desk bolt mounting options
- Compact retractable design increases workspace
- Compatible with VESA 75mm & 100mm LCD panels
- Durable gas-strut & ball-joint system or smooth, table operation
- Advanced cable management design
- Strong and attractively styled ie - cast aluminum alloy construction
- Multi-directional adjustments (lift, lower, tilt, swivel, wing, extend) for optimal viewing
- Extension arm included



Durable Gas-Strut



Flexible Ball-Joint Design

**peerless** Height Adjustable  
Desktop Mount  
For 22" to 37" LCD Screens



Use this mount for in-store displays, cashier and reception counters or in a professional home office environment. This Desktop Mount offers a contemporary design with functionality expected for this high-end product. It is the perfect complement to any work environment.




**MODEL:**  
**LCV-100**

**MAX LOAD:**  
**25 lbs** (11.3 kg)




**Product Features:**

- Comes with light gray base and aluminum (silver) upright
- Height adjustment with a knob allows the screen to travel 9.5" up and down the arm and tightens into place
- Full 360° rotation
- 30° adjustable backward or forward tilt
- Bolts to wood or wood composite surfaces / 3/4" to 1.5" thick
- VESA® 75/100 mm mounting plates included
- LCD model adapter plate available



**peerless** Height Adjustable  
Desktop Mount  
For 10" to 22" LCD Screens

This Height Adjustable Desktop Mount is perfect for cash registers, in-store displays, and at reception counters. This mount easily adjusts and offers a wide range of functionality. Its spring-loaded design lets you adjust the height of your screen at four 1" increments along the pole. It also delivers side-to-side swivel and tilt. The screen orientation can be switched from portrait to landscape by simply pivoting the head. This mount is available with a c-clamp base or with a direct mounting base.




**MODEL:**  
**LCH-100, LCH-100G**  
(Direct Mounting)  
**LCH-100C, LCH-100CG**  
(C-Clamp)

**MAX LOAD:**  
**25lbs** (11.3 kg)



**Product Features:**

- 1) Models LCH-1100 and LCH-100G: For direct mounting to wood or composite surfaces at least 3/4" thick with one mounting stud or with four wood screws
  - 2) Models LCH-1100C and LCH-1100CG: For clamping onto surface 3/4" to 2-1/2" thick (no drilling required) 360° swivel
- Side-to-side swivel can be limited to 90° or less or completely restricted if needed
  - 50° upward tilt and 30° downward tilt
  - Comes with VESA 75/100 mm mounting plates
  - Height adjustable at four 1" increments from 12-3/8" to 16-3/8"
  - Comes with external clips for cord management
  - Available in black or light gray



LCH-100/G



LCH-100C/G



## peerless Tabletop Stand

For 32" to 50" Flat Panel Screens

The Tabletop Stand is available with a laminate base in black graphite. With a twist of a knob, the screen tilts 5° backward or 10° forward for the perfect viewing angle. For added functionality, the base can either sit in a fixed position or swivel with 360° rotation. This tabletop stand features an indicator window as a visual guide to help ensure a safe installation. PLP model specific or universal screen adapter plate required.



**MODEL:** **MAX LOAD:**  
**PLT-BLK 150lbs** (68 kg)




### Product Features:

- Indicator window provides a visual guide or easy & safe installation
- Internal cord management
- 5° backward and 10° forward tilt
- Base can either rest in a fixed position or swivel with 360° rotation
- A felt ring on bottom of base protects tabletop surface
- Base dimensions: 25" L x 14" W
- Comes in black graphite laminate

## peerless Pedestal Stand


For 10" to 32" LCD Screens



The LCD Screen Pedestal Stand offers a great mounting solution in auditoriums, gymnasiums, broadcast studios, retail environments or anywhere a LCD screen needs to be mounted on a pedestal. The foot pattern offers a contemporary design and adjusts in width along the main tubular structure making it an ideal fit when placed under the front of fitness equipment. Feet can also be concealed under carpeting. With height-adjustment, 180° of swivel capability and internal cord management this unit represents a sleek, convenient and practical mounting option. This mount can be free-standing or bolted down to the floor.

### Product Features:

- Adjustable eight from 60-3/4" (154.3 cm) to 80" (203.2 cm)
- Swivel: 80° of swivel at the head (up to 90° on each side)
- Comes with hardware to bolt to concrete flooring
- Can be used free standing (up to 25 lb) or bolted own (225 lb - 40 lb)
- Feet an over inwards along the tubular structure if required (must be bolted own if feet are not in full outward position)
- Available in black or silver



**MODEL:**  
**LCFS-100**  
**LCFS-100S** (silver)

**MAX LOAD:**  
**40lbs** (18.1 kg)



## peerless Flat Panel Floor Stand

For 30" to 42" Flat Panel Screens



**MODEL:**  
**FPFS-SLV**

**MAX LOAD:**  
TV tray: **135 lb** (661.22 kg)  
Equipment shelf: **25 lb** (11.33 kg)

The Flat Panel Floor Stand is specifically designed to support 30" to 42" flat panel screens. While using little space, its unique and clean design elegantly displays high-end flat panel televisions. The clean line of the equipment is fully preserved with complete internal cord management.

### Product Features:

- Internal cord management or lean esthetics
- Upper tray dimensions: 32" W x 22.7" D
- Stand height: 27.6" (70.1 cm)
- Includes eight adjustable (3" to 5" in height) equipment shelf



## peerless Accessory A/V Shelf

For Flat Panel Floor Stand



The A/V shelf allows the addition of A/V equipment to the Flat Panel Floor Stand, such as a DVD player, a receiver, or a satellite box. The shelf design fits around the stand without any drilling required. Up to three shelves can be mounted onto the flat Panel Floor Stand.

**MODEL:** **MAX LOAD:**  
**ACC910 50 lb** (22.7 kg)



**peerless Pedestal Mount**  
For 32" to 50" Flat Panel Screens



With internally routed cord management, the LCD Screen Swing Arm is perfect for hiding wires. This feature makes it ideal for a variety of wall mounting applications such as in conference rooms, retail environments, other public arenas or at home. While preserving the clean line of the equipment, this mount offers full functionality, including two pivot points, adjustable tilt and 180° of swivel. It comes fully kitted for ordering convenience.


**MODEL:**  
**COL510P, COL610P**  
**COL710P, COL810P**

Model	Description	Overall Height of Column w/ Base	Ship Weight
COL510P	5' Pedestal	68.15" (1.73 m)	36 lbs.
COL610P	6' Pedestal	80.15" (2.04 m)	39 lbs.
COL710P	7' Pedestal	92.15" (2.34 m)	42 lbs.
COL810P	8' Pedestal	104.15" (2.65 m)	45 lbs.

**MAX LOAD:**  
**150 lbs** (68 kg)

**Product Features:**

- Comes in black
- 15° forward tilt and 360° swivel
- Screen can be changed from horizontal to vertical position after installation
- Cord management through column pedestal
- Theft-resistant security fasteners secure the screen to the mount



**peerless Flat Panel Cart**  
For 32" to 50" Flat Panel Screens



Flat Panel Cart delivers superior mobility to make this a highly functional presentation cart when equipment is shared between rooms. In addition to it's functionality, the cart's frame ships partially assembled to reduce installation time. Maximum height for the cart and screen (floor to top of screen) is approximately 76". The screen height can be adjusted in 4" increments. Large casters allow safe and easy maneuvering over thresholds and through doorways. Model-specific or Universal style PLP adapter plates are available to match your screen make and model, both are sold separately.


**MODEL:**  
**PLCT**

**MAX LOAD:**  
**150 lbs** (68 kg)




**Product Features:**

- Comes in black
- Frame ships partially assembled for easier installation
- Maneuvers easily on 4" swivel casters (two locking)
- Maximum screen height 76" (floor to top of screen)
- Height adjustable lower shelf for additional equipment included
- Optional feet may be purchased as an accessory to use the cart as a stand
- Screen can be mounted horizontally and vertically
- Theft-resistant security fasteners secure the screen to the cart
- Rear storage bin provided for cord management
- Heavy gauge cold rolled steel construction for safe support



**peerless DVD Tray Accessory**

Places the DVD unit below the screen. For use with Peerless Pedestal Stand. This 15.5"L x 17.22"W tray mounts to the 3.5"column.




**MODEL:**  
**ACC833**

**MAX LOAD:**  
**40 lbs** (18.2 kg)

**peerless Video Conferencing Shelf**

This 24.6"W x 7.9"L mounts directly on the cart to accommodate small to large Video Conferencing cameras.




**MODEL:**  
**ACC311**

**MAX LOAD:**  
**8.5 lbs** (3.9 kg)

**peerless Additional Adjustable Shelf**

Up to 2 additional shelves can be added.




**MODEL:**  
**ACC312**

**MAX LOAD:**  
**25 lbs** (11.4 kg)

**peerless Laptop Computer Support Arm**

Places the DVD unit below the screen. For use with Peerless Pedestal Stand. This 15.5"L x 17.22"W tray mounts to the 3.5"column.



**MODEL:**  
**ACC106**

**MAX LOAD:**  
**10 lbs** (4.5 kg)

**peerless**



**Feet Accessory**  
**MODEL: ACC310**






## peerless Jumbo Wall and Ceiling Mounts

For sets from 13" to 42"

One of the primary objectives in creating the Jumbo 2000™ line was to reduce installation time. Peerless has done it by rethinking the way the bracket is assembled around the monitor and designing the components to streamline this process. Enhanced roll-out protection and 30° of forward tilt mean a secure installation and optimum viewing angles with monitors from 13" to 42". In addition, the Jumbo 2000 line offers an attractive, "slimmed-down" design which will look great in boardrooms, restaurants and bars, stadiums, schools, airports, health clubs, or any facility using video displays.

### Max Load:

- Wall Mount/Concrete **150 lbs** (65 kg)
- Wall Mount/Wood **125 lbs** (57 kg)
- Dual Stud Wall Mount
- Concrete or Wood **300 lbs** (136 kg)
- Ceiling Mount **300 lbs** (136 kg)
- Suspended Ceiling Mount **250 lbs** (114 kg)



Available in a range of sizes and featuring easy adjustment in both height and width, the Jumbo 2000 will provide a secure mount for almost any monitor up to 42" (106 cm), including those with wide screen aspect ratio. Also, optional security fasteners (ACC 502) are available to make the Jumbo 2000 tamper-resistant. An optional VCR bracket is available and can be added at any time, even after the monitor is already in place.

## peerless Slimline® Wall Mounts

For sets from 9" to 27"

These mounts are ideal for hotels, hospitals, and other environments with limited space. Many models feature a two-piece tray with key lock. You may choose from 10° fixed tilt tray, or flat (no tilt) tray. Several models are available which are designed for specific popular TV models in the 19"-27" range.

### Product Features:

- Full Swivel
- Security system
- Key Lock
- 10° Tilt

### Components :

- Wood Stud Fasteners
- Mounting Tray
- Wall Arm

### Accessories Available:

- VCR Mounts
- Wall Support Plates
- Wall Corner Bracket (WSP 416)
- Concrete Fastener Kit (ACC 210)



## peerless Designer Series Mounts

For sets from 13" to 27"

The sleek, contemporary design of these wall mounts makes them particularly suitable for home or office installations. The wall mounts feature 120° side-to-side rotation, dual swivel points, and adjustable tilt for unobstructed viewing from almost any angle. The ceiling mounts features adjustable forward tilt and full 360° rotation.

### Available Accessories:

- VCR Mounts
- Wall Support Plates
- Tray Extension Kit: ACC 125
- Wall Mount Corner Bracket
- Concrete Fastener Kit: ACC 205
- Extension Column Adapter Kit: ACC 115



**Notes:** Ceiling mount features two support tray positions. The point of attachment must be to two wood ceiling joists or a solid concrete ceiling.



## peerless Jumbo Shelf Mounts

For sets from 13" to 27"

When you need the holding capacity of a Jumbo Mount, but conditions call for a shelf style mount, the Jumbo Shelf mount is the solution. This double - arm unit mounts to two wood studs, 16" on center.

### Product Features:

- 30° Side to Side Swivel
- Spreads Load Safely Over Two Wall Arms
- Accommodates most TV's up to 36"

### Components:

- Mounting Tray & Two Wall Arms
- Fasteners for Wood Studs

### Accessories Available:

- Security Strap
- Concrete Fastener Kit (ACC210)
- VCR Mount



## peerless Adjustable VCR Mounts

Adjustable in both height and width, the VCR Mount accommodates most front-loading VCRs and VCPs. The security version uses tamper resistant adjustment screws, which lock the VCR in place. Kit includes all hardware for easy attachment to Peerless TV mounts.



VCR attachment with Slimline Series Wall Mount.



VCR attachment with Designer Series Wall Mount.



## peerless Desk Top Swivel Mounts

For sets from 19" to 27"

Peerless offers a wide range of furniture top mounts, including many that are made for specific model TV sets. All of these mounts feature complete swivel capability and security, either with a key lock or with our Penta Pin™ security system. Our desktop swivel mounts will securely handle sets from 19" to 27". Several slide out versions are also available.

**Max Load:**  
**125 lbs.** (56.8 kg)

- Features:**
- Full swivel Capability
  - Security System
  - Several Models for Specific Commercial TV's

## peerless Slide Out Mounts

For sets from 19" to 27"

Slide out swivel tray for armoires. All steel tray smoothly slides out 8 3/4" on two ball bearing equipped rails. Slide out has stops for larger trays. Low profile tray with Penta-Pin security or two piece tray with key lock.

**Max Load: 125 lbs.** (56.8 kg)

**Features:**

- 360° swivel
- Complete Side-To-Side Swivel Tray
- Locking Security Tray
- Several Models for Specific Commercial TV's
- Color: Black



LSS805



## peerless Desktop VCR / VCP Mount

Designed for hospitality or institutional settings, this two-piece VCR mount is attached to the mounting surface with adhesive pads (included) or anchors, bolts or screws. Additional security is provided by a key lock or Penta Pin™ tamper resistant screws. The unit is not intended to swivel.

**Components:**

- Adhesive pads
- Two-Piece Security Tray
- Penta-Pin Security Fastener or Key Lock

**Max Load: 40 lbs.** (18 kg)

## peerless Enclosed VCR Mounts

These fixed size security units enclose the VCR on four sides. Double adhesive "L" brackets and Penta-Pin™ screws provide additional theft resistance. Mounts can be retrofitted to an existing wall mount or stacked separately.

**Max Load: 50 lbs** (22.7 kg)



VPM081

### Other CRT & Flat Screen Television Mounts Also Available

The mounts shown in this catalog are only a small representation of the wall, ceiling, table, floor mounts and accessories available from TB&A. **See our website [www.hospitaltv.com](http://www.hospitaltv.com)** for more products, photos and specifications, or **call Toll Free 1-800-288-7351** for more information.





**Direct Access Digital Pillow Speakers®**

Designed with both the patient and the facility in mind, Curbell has the pillow speakers to support most nurse call systems. Reliable, durable and patient friendly, Curbell technology keeps the lines of communication open.

For over 40 years, Curbell has pioneered the design and development of pillow speakers for the healthcare market — setting the bar for product features:



GEN III



GEN II

**Flexibility:**

- Custom designs for each hospital 's individual needs

**Ease of Operation:**

- Nurse Call function comes standard with Braille
- Large buttons are easy for patients to understand and operate
- Raised texture on overlay & distinctive colors provide easy-to-locate buttons
- Convenient top--exit cord design

**Durability:**

- Long--lasting micro switches used for Nurse Call and Auxiliary functions are rated for 30VDC, 1A
- Strain relief provided on all connections
- Sealed overlay

**Safety:**

- Safe for use in oxygen--enriched environments
- Electrostatic Discharge ((ESD) resistant design
- Self--extinguishing case material

**SPECS:**

**Case:**

High impact plastic (PCABS) UL • ammability rating 94V-O. Sealed to IPX4 (based on IEC 60529 Standard)

**Switches:**

SPDT momentary contacts for connection to power limited circuits of 30V DC, 1.0A or less

**Mounting:**

Standard: Linen Clip (FA-110)

**Size:**

8 3/8"H x 3 1/4"W x 1 1/4"D



**Custom & Standard Wall Plates/Panels**

Custom audio, visual, and computer wall plates can be made to your specifications. Standard sizes, single through six gang plates, as well as custom dimensions. Panel material is stocked up to 3/6" thick.

**PDi Power Supplies**



**PDI-772HE**

Ten Tap Central Power Supply (AC)

TB&A offers the full line of PDI high quality power supplies. Central power supplies are available in 10 Tap. Individual unit designs include self-contained units, as well as, supplies incorporated into the PDI wall mounting bracket.

- Circuit breaker protected
- Push button resets
- Enclosed RF
- Easy access input-output
- Self-contained
- Rugged construction
- Fan cooled 10 tap
- Low cost

**PDI-771 CA Wall Bracket Power Supply Combo**



Where in-room power supplies are needed and new wall brackets are to be used, the built-in power supply wall bracket offers a neater, less expensive means of installing individual TV power supplies. These units feature fuse protected primary and secondary circuits and are equipped with 6-foot power cords with hospital grade plugs. Each has a 75 Ohm TV signal input connector.

**PDi Remotes**


A variety of user & programming remotes are available for your application.

- A. Master program remote for 23"
- B. Master program remote for 20"
- C. Patient remote Bed A/Bed B Function
- D. TV Clone for 20" and 23"



**Headsets and Earpieces**

A variety of headsets and earpieces are available for your application. Call TB&A for details on what is right for your system.





## Television and Telephone Direct Billing, 24-Hour Call Center, and Attendant Services

It's not too often a service comes around that saves your hospital money, generates additional revenue and improves patient satisfaction, but that's exactly what TB&A can do for your hospital.

TB&A has been managing hospital television and telephone systems for more than 20 years. TB&A offers complete system management and service plans with no risk, and at no cost to the hospital.

TB&A's DirectBill<sup>SM</sup> System can place all of the television and telephone charges directly to the patients' home telephone bill. TB&A makes it more convenient for your patients because they no longer have to worry about daily cash transactions at their bedside. Your hospital benefits by dramatically increasing payment collection rates.

TB&A can also provide attendants to service all patient television and telephone needs, eliminating hospital staff involvement. Our professional staff handles every detail, including instructions on how to use the equipment, channel guides and collections.

Contact TB&A today to find out more about our Attendant Services and DirectBill<sup>SM</sup> System for your hospital.





Visit TB&A on the Internet, get updated information, browse the latest TB&A catalog, some items available for purchase online!

**HospitalTV.com**

Also see TB&A's Direct Bill System, from Pathway Solutions, LLC

**DirectBill.com**



**TB&A Hospital Television, Inc.**

20 Pineview Dr. • Amherst, NY 14228

Tel: (716) 691-0385 • Fax: 1-888-691-5268

**Toll Free: 1-800-288-7351**

**www.hospitaltv.com**